



Committed to wiping out
Internet scams and fraud

Phishing Activity Trends

Report for the Month of January, 2008

Summarization of January Report Findings

► The number of unique keylogger crimeware variants detected in January reached a new high of 364, an increase of 1.4% from the previous high in October, 2007. ► In the month of January, the number of websites that were hosting keylogging crimeware systems rose by over 1,100, reaching 3,362, the second highest number recorded in the preceding 12 months. ► The total number of unique phishing reports submitted to APWG in January 2008 was 29,284, an increase of over 3,600 reports from the previous month. ► The number of brands targeted by phishers in January reported a drop of more than 10 brands to 131. ► The number of unique phishing websites detected by APWG was 20,305 in January 2008, a decrease of over 5,000 from the month of December 2007. ► In January, the United States moved back to being the top hosting country for password-stealing malicious code with 43.39%, after being eclipsed by China in December. ► In January, APWG saw the United States remain the top of country hosting phishing websites with 37.25% of all such websites.

Phishing Defined and Report Scope

Phishing is a form of online identity theft that employs both **social engineering** and **technical subterfuge** to steal consumers' personal identity data and financial account credentials. Social-engineering schemes use 'spoofed' e-mails to lead consumers to counterfeit websites designed to trick recipients into divulging financial data such as account usernames and passwords. Hijacking brand names of banks, e-retailers and credit card companies, phishers often convince recipients to respond. **Technical subterfuge** schemes plant **crimeware** onto PCs to steal credentials directly, often using key logging systems to intercept consumers online account user names and passwords, and to corrupt local and remote navigational infrastructures to misdirect consumers to counterfeit websites and to authentic websites through phisher-controlled proxies that can be used to monitor and intercept consumers' keystrokes.

The monthly *Phishing Activity Trends Report* analyzes phishing attacks reported to the APWG via its member companies, Global Research Partners, the organization's website at <http://www.antiphishing.org> and email submissions to reportphishing@antiphishing.org. The APWG phishing attack repository is the Internet's most comprehensive archive of email fraud and phishing activity. The APWG additionally measures the evolution, proliferation and propagation of **crimeware** drawing from the independent research of our member companies. In the second half of this report are tabulations of crimeware statistics and reportage on specific criminal software detected by our member researchers.

Statistical Highlights for January 2008

• Number of unique phishing reports received in January:	29284
• Number of unique phishing sites received in January:	20305
• Number of brands hijacked by phishing campaigns in January:	131
• Number of brands comprising the top 80% of phishing campaigns in January:	15
• Country hosting the most phishing websites in January:	United States
• Contain some form of target name in URL:	28.3 %
• No hostname; just IP address:	5.5%
• Percentage of sites not using port 80:	.81 %
• Average time online for site:	3.1 days
• Longest time online for site:	31 days

APWG

<http://www.antiphishing.org> • info@antiphishing.org

Methodology


APWG is continuing to refine and develop our tracking and reporting methodology. We have re-instated the tracking and reporting of unique phishing reports (email campaigns) in addition to unique phishing sites. An email campaign is a unique email sent out to multiple users, directing them to a specific phishing web site, (multiple campaigns may point to the same web site). **APWG** counts unique phishing report emails as those in a given month with the same subject line in the email.

APWG also tracks the number of unique phishing websites. This is now determined by unique base URLs of the phishing sites.

APWG is also tracking crimeware instances (unique software applications as determined by MD5 hash of the crimeware sample) as well as unique sties that are distributing crimeware (typically via browser drive-by exploits).

Phishing Email Reports and Phishing Site Trends for January 2008

The total number of *unique* phishing reports submitted to **APWG** in January 2008 was **29,284**, an increase of over 3,600 reports from the previous month. This is a count of *unique* phishing email reports received by the APWG from the public, its members and its research partners.



The **Phishing Attack Trends Report** is published monthly by the APWG, an industry and law enforcement association focused on eliminating the identity theft and fraud that result from the growing problem of phishing, crimeware and email spoofing. For further information, please contact APWG Deputy Secretary General Foy Shiver at 404.434.7282. Data and analyses for the **Phishing Attack Trends Report** has been donated by the following companies:




The number of *unique* phishing websites detected by APWG was **20,305** in January 2008, a decrease of over 5,000 from the month of December 2007.




Top Used Ports Hosting Phishing Data Collection Servers in January 2008

January saw a continuation of HTTP port 80 being the most popular port used at 99.23% of all phishing sites reported.



April 2007 - January 2008 Brand-Domain Pairs Measurement

The following chart combines statistics based on brands phished, unique domains, unique domain/brand pairs and unique URLs. Brand/domain pairs count the unique instances of a domain being used to target a specific brand. *Example:* if several URLs targeting a brand - but are hosted on the same domain - this brand/domain pair would be counted as one instead of several. *Forensic utility:* If the number of unique URLs is greater than the number of brand/domain pairs, it indicates many URLs are being hosted on the same domain to target the same brand. Knowing how many URLs occur with each domain indicates the approximate number of attacking domains a brandholding victim needs to locate and neutralize. Since Phishing-prevention technologies (like browser and email blocking) require the full URL, it is useful to understand the general number of unique URLs that occur per domain.




	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Jan.
Unique URLs	55643	37438	31709	30999	32079	28015	34226	23630	25328	20305
Unique Domains	6637	5967	6006	6005	5023	5058	5472	5551	4973	5490
Unique Brand-Domain Pairs	7622	7092	7359	7538	6580	6465	6704	6936	6222	6682
Unique Brands	174	149	146	126	129	92	120	178	144	131
URLs per Brand	319.79	251.26	217.18	246.02	248.67	304.51	285.22	132.76	175.89	155

Brands & Legitimate Entities Hijacked By Email Phishing Attacks in Jan. 2008


Number of Reported Brands

January reported a decrease of more than 10 brands to 131.



Most Targeted Industry Sectors in January 2008

Financial Services continue to be the most targeted industry sector at 92.4% of all attacks recorded in the month of January.



Web Phishing Attack Trends in January 2008

Countries Hosting Phishing Sites

In January, Websense Security Labs saw the United States remain the top of country hosting phishing sites with 37.25%. The rest of the top 10 breakdown is as follows: Russia Federation 11.66%, China 10.3%, Germany 5.64%, Romania 5.09%, Republic of Korea 3.77%, France 3.28%, Canada 1.94%, United Kingdom 1.92% and Italy at 1.59%.



PROJECT: Crimeware


Crimeware Taxonomy & Samples According to Classification in January 2008

PROJECT: Crimeware categorizes crimeware attacks as follows, though the taxonomy will grow as variations in attack code are spawned:


Phishing-based Trojans - Keyloggers

Definition: Crimeware code which is designed with the intent of collecting information on the end-user in order to steal those users' credentials. Unlike most generic keyloggers, phishing-based keyloggers have tracking components which attempt to monitor specific actions (and specific organizations, most importantly financial institutions and online retailers and ecommerce merchants) in order to target specific information, the most common are; access to financial based websites, ecommerce sites, and web-based mail sites.

Phishing-based Trojans – Keyloggers, Unique Variants in January



Phishing-based Trojans – Keyloggers, Unique Websites Hosting Keyloggers in January



Phishing-based Trojans – Redirectors

Definition: Crimeware code which is designed with the intent of redirecting end-users network traffic to a location where it was not intended to go to. This includes crimeware that changes hosts files and other DNS specific information, crimeware browser-helper objects that redirect users to fraudulent sites, and crimeware that may install a network level driver or filter to redirect users to fraudulent locations. All of these must be installed with the intention of compromising information which could lead to identify theft or other credentials being taken with criminal intent.


Along with phishing-based keyloggers we are seeing high increases in traffic redirectors. In particular the highest volume is in malicious code which simply modifies your DNS server settings or your hosts file to redirect either some specific DNS lookups or all DNS lookups to a fraudulent DNS server. The fraudulent server replies with “good” answers for most domains, however when they want to direct you to a fraudulent one, they simply modify their name server responses. This is particularly effective because the attackers can redirect any of the users requests at any time and the end-users have very little indication that this is happening as they could be typing in the address on their own and not following an email or Instant Messaging lure.

Phishing-based Trojans & Downloader’s Hosting Countries (by IP address) in January

The chart below represents a breakdown of the websites which were classified during January as hosting malicious code in the form of either a phishing-based keylogger or a Trojan downloader which downloads a keylogger.

In January, the United States moved back to the top of the list with 43.39%, after being eclipsed by China in December.

The rest of the breakdown was as follows; China 16.95%, France 6.89%, UK 5.92%, Republic of Korea 5.84%, Russian Federation 4.46%, Spain 3.81%, Poland 3.41%, Romania 3.24%, Germany 3.16%.





Committed to wiping out
Internet scams and fraud

Phishing Research Contributors



MarkMonitor

MarkMonitor is the global leader in delivering comprehensive online corporate identity protection services, with a focus on making the Internet safe for online transactions.



PandaLabs

PandaLabs is an international network of research and technical support centers devoted to protecting users against malware.



Websense Security Labs

Websense Security Labs mission is to discover, investigate, and report on advanced internet threats to protect employee computing environments.

For media inquiries please contact APWG Deputy Secretary General Foy Shiver at 404.434.7282 or Cas Purdy at 858.320.9493 or cpurdy@websense.com or Te Smith at 831.818.1267 or Te.Smith@markmonitor.com.



About the APWG

The APWG, founded as the Anti-Phishing Working Group in 2003, is an industry association focused on eliminating the identity theft and fraud that result from the growing problem of phishing and email spoofing. The organization provides a forum to discuss phishing issues, define the scope of the phishing problem in terms of hard and soft costs and consequences, and to share information and best practices for eliminating the problem. Where appropriate, the APWG will also look to share this information with law enforcement.

Membership is open to qualified financial institutions, online retailers, ISPs, the law enforcement community, and solutions providers. There are more than 1700 companies and government agencies participating in the APWG and more than 3000 members. Note that because phishing attacks and email fraud are sensitive subjects for many organizations that do business online, the APWG has a policy of maintaining the confidentiality of member organizations.

The website of the APWG is <http://www.antiphishing.org>. It serves as a public and industry resource for information about the problem of phishing and email fraud, including identification and promotion of pragmatic technical solutions that can provide immediate protection and benefits against phishing attacks.

The APWG, a 501c6 tax-exempted corporation, was founded by Tumbleweed Communications and a number of member banks, financial services institutions, and e-commerce providers. It held its first meeting in November 2003 in San Francisco and in June 2004 was incorporated as an independent corporation controlled by its steering committee, its board of directors and its executives.

APWG

<http://www.antiphishing.org> • info@antiphishing.org